

dotFIT™ FatRelease™

FatRelease contains the necessary compounds to support the health and proper functioning of the liver while supplying ingredients designed to decrease dietary fat absorption, support appetite and deliver the many potential benefits of green tea (EGCG). As the body gains fat weight so does the liver, leading to sluggish performance and oxidative stress. Both conditions can have a negative effect on the liver's health^{1,2} and ability to burn fat.^{3,4}

Rationale

Choline is a lipotropic agent that has been shown to hasten the removal of fat from the liver.⁵

Milk Thistle has been used safely for centuries in treatment of liver problems including improving circulation, maintaining the integrity of liver cell membranes while increasing liver's regenerative ability and formation of new cells.^{6,7,8}


N - Acetyl cysteine (NAC) is added because it acts as an antioxidant and hepatoprotectant in order to help combat oxidative stress brought on by accumulating fat in the liver.^{9,10}

Epigallocatechin gallate (EGCG) from Green tea also works as an antioxidant and has the potential to destroy fat cells¹¹, increase overall energy expenditure¹² and has demonstrated positive effects on fat oxidation.^{13,14,15,16,17,18}

Rhododendron caucasicum (RC) has been shown to decrease the body's absorption of dietary fat by inhibiting gastrointestinal lipase (enzyme that prepares dietary fat for absorption) thus reducing absorbed calories.¹⁹ During three months of clinical trials, patients who received Rhododendron caucasicum spring leaves extract, in conjunction with a low calorie diet, reduced their original weight from 10 to 20 pounds, losing two to three times more weight than the placebo subjects (see **Figure 3**).¹⁹

Engelhardtia chrysolepis has demonstrated superior antioxidant activity in suppressing lipid peroxidation and has also been shown to inhibit a key enzyme involved in the making of cholesterol.²⁰

Figure 1: As demonstrated in the graph, during three months of dieting, the Rhododendron group lost two to three hundred percent more weight than the placebo subjects.



Supplement Facts (1 tablet)

Supplement Facts	
Serving Size: 1 Tablet	Servings Per Container: 90
Amount Per Serving	% Daily Value
Green Tea Extract (Leaf) Standardized for 98% Polyphenols (196mg), 75% Catechins (150mg), 45% EGCG (90 mg), 7% Caffeine (naturally occurring - 14 mg)	200 mg **
Choline (as Choline Bitartrate)	133 mg **
N-Acetyl Cysteine (NAC)	50 mg **
Milk Thistle Seed Extract (80% Silymarin)	166 mg **
dotFIT™ Proprietary Herbal Complex <i>(Rhododendron caucasicum and Engelhardtia chrysolepis)</i>	133 mg **
** % Daily Value not established.	
Other Ingredients: Calcium Phosphate, Croscarmellose, Stearic acid (Vegetable source), Magnesium Stearate (Vegetable source), Silica, Hydroxypropylmethylcellulose and Titanium Dioxide.	

Typical Use

- Non-stimulant fat-loss aid
- Recommended for people who struggle with controlling fat intake
- Can be used alone or as part of the *dotFIT 90 Day Weight Loss Solution*
- Take one tablet three times daily, 30 minutes before meals and with at least 8 oz. of water
- Discontinue after reaching fat loss goal

Precautions

FatRelease is generally considered a safe fat-loss aid.

Contraindications

FatRelease is contraindicated in pregnancy and lactation because of a lack of data for this population.

Adverse Reactions

EGCG: Typical doses range from one to 10 cups of green tea per day without any adverse events.²¹

Choline is not likely to cause side effects at doses up to 3000 mg/day.²²

Rhododendron caucasicum is well-tolerated in the recommended dosage.¹⁹

Upper Limit/Toxicity

Choline: The UL for choline is 3500 mg/day and the LOAEL is 7500 mg/day.

NAC: The LD50 for NAC in mice is 7888 mg/kg and in rats is 6000 mg/kg. An AMES test performed on NAC was negative for mutagenicity.⁸

Milk Thistle: Is considered relatively safe for long-term use.²³

EGCG: High doses of green tea or green tea extract, equivalent to 21-25 cups of tea per day can cause gastrointestinal distress.^{24,25}

Rhododendron caucasicum and Engelhardtia chrysolepis: no data available at this time.

Summary

Purpose

- Supplies many of the nutrients involved in fat metabolism
- For people who struggle with controlling fat intake
- Non-stimulant body fat/weight reduction aid
- For very overweight or obese people (females >32% BF & males >22) to support liver health

Unique Features

- The product works at many different levels within the body (appetite, metabolism, fat absorption, etc.) to support the loss of body fat
- Blend is proprietary to dotFIT™
- Can be used alone or as part of the *dotFIT 90 Day Weight Loss Solution*
- Manufactured in a FDA registered facility, in compliance with Good Manufacturing Practices (GMPs) exclusively for dotFIT, LLC

FatReleaser™

- 1 Jiang J, Torok N. Nonalcoholic steatohepatitis and the metabolic syndrome. *Metab Syndr Relat Disord.* 2008 Spring;6(1):1-7. Review.
- 2 Tilg H, Moschen AR. Inflammatory mechanisms in the regulation of insulin resistance. *Mol Med.* 2008 Mar-Apr;14(3-4):222-31. Review.
- 3 Schiff L, Schiff ER. Diseases of the liver, 6th ed. Philadelphia: JB Lippincott Company;1987.
- 4 Dulloo AG, Antic V, Montani JP. Ectopic fat stores: housekeepers that can overspill into weapons of lean body mass destruction. *Int J Obes Relat Metab Disord.* 2004 Dec;28 Suppl 4:S1-2.
- 5 Michel V, Yuan Z, Ramsubir S, Bakovic M. Choline transport for phospholipid synthesis. *Exp Biol Med (Maywood).* 2006 May;231(5):490-504. Review.
- 6 Giese LA. Milk thistle and the treatment of hepatitis. *Gastroenterol Nurs.* 2001 Mar-Apr;24(2):95-7.
- 7 Trappoliere M, Tuccillo C, Federico A, Di Leva A, Niosi M, D'Alessio C, Capasso R, Coppola F, Dauria M, Loguercio C. The treatment of NAFLD. *Eur Rev Med Pharmacol Sci.* 2005 Sep-Oct;9(5):299-304. Review.
- 8 Flora K, Hahn M, Rosen H, Benner K. Milk thistle (*Silybum marianum*) for the therapy of liver disease. *Am J Gastroenterol.* 1998 Feb;93(2):139-43.
- 9 Angulo P. Treatment of nonalcoholic fatty liver disease. *Ann Hepatol.* 2002 Jan-Mar;1(1):12-9. Review.
- 10 Kelly GS. Clinical applications of N-acetylcysteine. *Altern Med Rev.* 1998 Apr;3(2):114-27. Review.
- 11 Lin J, Della-Fera MA, Baile CA. Green tea polyphenol epigallocatechin gallate inhibits adipogenesis and induces apoptosis in 3T3-L1 adipocytes. *Obes Res.* 2005 Jun;13(6):982-90.
- 12 Murase T, Nagasawa A, Suzuki J, Hase T, Tokimitsu I. Beneficial effects of tea catechins on diet-induced obesity: stimulation of lipid catabolism in the liver. *Int J Obes Relat Metab Disord.* 2002 Nov;26(11):1459-64.
- 13 Diepvans K, Westerterp KR, Westerterp-Plantenga MS. Obesity and thermogenesis related to the consumption of caffeine, ephedrine, capsaicin and green tea. *Am J Physiol Regul Integr Comp Physiol.* 2006 Jul 13; [Epub ahead of print]
- 14 Dulloo AG, Seydoux J, Girardier L, Chantre P, Vandermander J. Green tea and thermogenesis: interactions between catechin-polyphenols, caffeine and sympathetic activity. *Int J Obes Relat Metab Disord.* 2000 Feb;24(2):252-8.
- 15 Berube-Parent S, Pelletier C, Dore J, Tremblay A. Effects of encapsulated green tea and Guarana extracts containing a mixture of epigallocatechin-3-gallate and caffeine on 24 h energy expenditure and fat oxidation in men. *Br J Nutr.* 2005 Sep;94(3):432-6.

-
- 16 Nagao T, Meguro S, Soga S, Otsuka A, Tomonobu K, Fumoto S, Chikama A, Mori K, Yuzawa M, Watanabe H, Hase T, Tanaka Y, Tokimitsu I, Shimasaki H, Itakura H. Tea catechins suppress accumulation of body fat in humans. *J Oleo Sci* 2001; 50: 717 – 728.
- 17 Dulloo AG, Duret C, Rohrer D, Girardier L, Mensi N, Fathi M, Chantre P, Vandermander J. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr.* 1999 Dec;70(6):1040-5.
- 18 Zheng G, Sayama K, Okubo T, Juneja LR, Oguni I. Anti-obesity effects of three major components of green tea, catechins, caffeine and theanine, in mice. *In Vivo.* 2004 Jan-Feb;18(1):55-62.
- 19 Abidov T, Grachev SV, Klimenov AL, Kalyuzhin OV. Effect of Rhododendron caucasicum extract on body weight and dietary lipids absorption in obese patients: a double-blind placebo controlled clinical study. Final report: Russian Ministry of Health; Grant: No 03-122-1997; Clinical Study; Project No: 0101-1997. 8 pp.
- 20 Abidov MT, Grachev SV, Klimenov AL, Kalyuzhin OV. The effects of Aralox, a phytomedicine, consisting of standardized extracts of Aralia mandshurica (Araliaceae) and Engelhardtia chrysolepis (Juglandaceae), on body fat loss, lipolytic activity and adipocytes perilipins, in obese, non-diabetic women on a restricted calorie diet is investigated in a double-blind, randomized, placebo-controlled clinical trial. *Remedium Medical Journal, Russian Academy of Sciences* 2005:35-47.
- 21 Nemecz G. Green tea. *US Pharm* 2000;May:67-70.
- 22 Yates AA, Schlicker SA, Suitor CW. Dietary reference intakes: The new basis for recommendations for calcium and related nutrients, B vitamins, and choline. *J Am Diet Assoc* 1998;98:699-706.
- 23 Boerth J, Strong KM. The clinical utility of milk thistle (*Silybum marianum*) in cirrhosis of the liver. *J Herb Pharmacother.* 2002;2(2):11-7.
- 24 Pisters KM, Newman RA, Coldman B, et al. Phase I trial of oral green tea extract in adult patients with solid tumors. *J Clin Oncol* 2001;19:1830-8.
- 25 Jatoi A, Ellison N, Burch PA, et al. A phase II trial of green tea in the treatment of patients with androgen independent metastatic prostate carcinoma. *Cancer* 2003;97:1442-6.

dotFIT™ CarbKiller™